Index

IEE Proceedings
Electric Power Applications
Vol. 142, 1995

Author Index

A

Abdel-halim, M.A. p206
Acarnley, P.P. p191
Alolah, A.I. p104
Alwash, J.H.H. p87
Anderson, K. p113
Aouda, N. p329
Auckland, D.W. p65
Axcell, B.P. p65

B

Badr, M.A. p104
Bengtsson, C. p371
Bennett, N. p137
Bhat, I. p29
Bhat, S.R. p97
Binns, K.J. p137
Blajszczak, G. p308
Bobbio, S. p183
Booth, T. p371
Bui, A. p329

C

Cai, Y. p323
Casanellas, F. p285
Case, S.H. p323
Chalmers, B.J. p337
Chen, C.-L. p43
Chen, N. p345
Cheng, K.W.E. p313
Cheron, Y. p329
Chiang, S.J. p275
Chung, S.K. p361
Colak, I. p222

D

Dahono, P.A. p225
Darwish, M. p405
Dawson, D.M. p113
Del Pizzo, A. p183
Du, T. p71

E

Edwards, J.D. p355
Ellams, P. p23
Evans, P.D. p313, p379

F

Fraser, M.E. p410

G

Garvey, S.D. p222
Gramm, K. p371
Grimbleby, J.B. p5
Guey, R.J. p79
Gurdal, O. p355

H

Hanselman, D.C. p131
Hashimoto, Y. p123
Heffernan, W.J.B. p379
Henri, F. p329
Hobson, L. p35
Hu, J. p113
Huang, S.C. p275
Hui, S.Y.R. p57
Hunter, G.P. p169, p176
Hwang, M.S. p79

I

Ikhwan, S.H. p87
Irving, M.R. p323
Ishizaka, K. p154, p239
Itoh, R. p154, p239

J

Jack, A.G. p191
Jia-You Lee p255
Jung, Y.-S. p297

K

Kaplan, B.Z. p269
Karvelis, G.A. p289
Kataoka, T. p225, p246
Ko, J.S. p361
Kolar, J.W. p63, p285
Konda, N. p123
Kottick, D. p269

L

Laithwaite, E.R. p215, p262
Lebey, T. p329
Lee, J.H. p361
Leisten, J. p145
Liaw, C.M. p79, p275, p397
Lin, F.J. p79, p397
Lo, Y.-K. p43
Loffler, F. p371
Luff, A.C. p65

M

Manias, S.N. p289
Manning, C.D. p206, p410
Mansell, A.D. p23
Marignetti, F. p183
Maswood, A.I. p233
Matsuda, T. p123
Mehta, P. p405
Metz, M. p329
Moon, G.-W. p297
Moriyama, T. p123

N

Nasar, S.A. p201
Niu, X.-M. p14

O

Ohnishi, T. p390
Oishi, H. p154, p239
Ojo, O. p29
Okada, H. p154, p239

P

Pagano, E. p183
Peake, W.H. p131
Petkov, R. p35, p145
Pfutzner, H. p371

R

Rabinovici, R. p1
Rahman, M. p65
Ramsden, V.S. p169, p176
Rojas, R. p390

S

Safi, S.K. p191
Salvatore, L. p161
Sato, Y. p225, p246
Shieh, Y.S. p79
Shimmin, D.W. p137
Shuttleworth, R. p65
Spooner, E. p337
Stasi, S. p161
Stronach, F. p71
Suzuki, T. p390
Suzuki, Y. p123

T

Torrey, D.A. p14
Tzeng, Y.-S. p345

U

Umanand, L. p97
Unkauf, E.J. p14

V

Vas, P. p71
Venkataswamy, S. p29
Volschenk, A.F. p50

W

Wang, J. p137
Wells, B.M. p410
Wen-Inne Tsai p255
Williamson, S. p50
Wright, M.T. p222
Wu, R.-N. p345
Wu, W. p337

X

Xiang, Y.Q. p201

Y

York-Yih Sun p255
Youn, M.-J. p297
Youn, M.J. p361
Yu-Ming Chang p255

Z

Zach, F.C. p63, p285
Zhang, J. p169, p176
Zhu, J. p57

CIRCUIT THEORY AND DESIGN

Analysis and optimisation of a flyback convertor with a nondissipative snubber p35
Analysis of conduction losses in inverters p225
Computer application in the analysis of rectifiers and inverters p233
Performance prediction of third-order series resonant convertor p29
SEPIC-derived three-phase sinusoidal rectifier operating in discontinuous current conduction mode p239
Single-phase switch-mode rectifier employing voltage-reversal circuit switched with a fixed frequency p154

CLOSED LOOP SYSTEMS

PWM control method for a four-level inverter p390
Simple algorithm for closed-loop control of stepping motors p5

COMPUTER APPLICATIONS

Numerical modelling and simulation of hysteresis effects in magnetic cores using transmission-line modelling and the Preisach theory p57
Performance of a single-phase to three-phase cycloconvertor drive p169
Robust speed control of brushless direct-drive motor using integral variable structure control p361
Robust two-degrees-of-freedom control for induction motor servodrive p79

CONTROL SYSTEM ANALYSIS

Online estimation of stator resistance of an induction motor for speed control applications p97
Simple algorithm for closed-loop control of stepping motors p5
Switched sliding-mode control for ZCS series-resonant AC/DC converter p297

CONTROL SYSTEM SYNTHESIS

LKF based robust control of electrical servodrives p161
Position control of a brushless DC motor without velocity measurements p113
PWM control method for a four-level inverter p390
Robust two-degrees-of-freedom control for induction motor servodrive p79
Simple algorithm for closed-loop control of stepping motors p5
Switched sliding-mode control for ZCS series-resonant AC/DC converter p297

CONVERTORS

Analysis and optimisation of a flyback convertor with a nondissipative snubber p35
Analysis and simulation of the high-speed torque performance of brushless DC motor drives p191
Analysis of conduction losses in inverters p225
Calculation of winding losses in high frequency toroidal inductors using multistrand conductors p313
Computer application in the analysis of rectifiers and inverters p233
Design and analysis of H-soft-switched converters p255
Direct method for voltage distortion compensation in power networks by series converter filter p308
Eddy current iron losses in axially laminated brushless motors p183
Estimation of rotor position and speed of a synchronous reluctance motor for servodrives p201
Fixed-frequency buck-boost zero-voltage-switched quasiresonant converter p289
Impact on the power system of single-phase input cycloconvertor motor drives p176
Losses in PWM inverters using IGBTs p285
Minimisation of circuit complexity of step-up/down three-phase AC to DC converter with sinusoidal input current and unity power factor p63
Nonlinear capacitive snubbers for improved zero-voltage switching with reduced electromagnetic interference and minimum voltage stresses p329
Online estimation of stator resistance of an induction motor for speed control applications p97
Performance of a single-phase to three-phase cycloconvertor drive p169
Performance prediction of third-order series resonant convertor p29
PWM control method for a four-level inverter p390
PWM technique utilisation in the quasiresonant convertor p145
SEPIC-derived three-phase sinusoidal rectifier operating in discontinuous current conduction mode p239
Simplified control strategy to improve AC-input-current waveform of parallel-connected current-type PWM rectifiers p246
Single-phase switch-mode rectifier employing voltage-reversal circuit switched with a fixed frequency p154
Soft-switching single-phase–three-phase converters with near unity power factor p23
Switched sliding-mode control for ZCS series-resonant AC/DC converter p297
Three-phase four wire voltage controlled AC line conditioner with unity input power factor and minimised output voltage harmonics p43
Three-phase multifunctional battery energy storage system p275
Transformerless four-wire PWM rectifier and its application in AC-DC-AC converters p410
Unified AC/DC power flow for system simulation in DC electrified transit railways p345

DIGITAL ELECTRONICS

Robust speed control of brushless direct-drive motor using integral variable structure control p361
Robust two-degrees-of-freedom control for induction motor servodrive p79

EDDY CURRENTS

Eddy-current effects in slot-bound conductors p131

ELECTROMAGNETIC INTERFERENCE

Nonlinear capacitive snubbers for improved zero-voltage switching with reduced electromagnetic interference and minimum voltage stresses p329

ELECTROMAGNETIC THEORY

Nonlinear capacitive snubbers for improved zero-voltage switching with reduced electromagnetic interference and minimum voltage stresses p329

ELECTROMAGNETISM

Analytical modelling of variable-reluctance machine magnetisation characteristics p14
Design of slotless TORUS generators with reduced voltage regulation p337
Direct-phase modelling of isolated brushless exciter-alternator unit including the magnetic nonlinearities p206
Eddy-current effects in slot-bound conductors p131
Eddy current iron losses in axially laminated brushless motors p183
Induction coil guns for hypervelocities p215
Numerical modelling and simulation of hysteresis effects in magnetic cores using transmission-line modelling and the Preisach theory p57
Time-stepping finite element analysis for a synchronous generator feeding a rectifier load p50
Transformer for multimegahertz power applications p379

ENERGY CONVERSION

Design of a semiconductor thermoelectric generator for remote subsea wellheads p65
Three-phase multifunctional battery energy storage system p275

FEEDBACK

Simple algorithm for closed-loop control of stepping motors p5

FILTERS AND FILTERING

Direct method for voltage distortion compensation in power networks by series converter filter p308
Three-phase multifunctional battery energy storage system p275

FUZZY CONTROL

Position control with fuzzy adaptation for induction servomotor drive p397

GENERATORS

Adapting a linear induction motor for the acceleration of large masses to high velocities p262
Analysis and simulation of the high-speed torque performance of brushless DC motor drives p191
Contactless measurement of the secondary position in linear reluctance motors p355
Design of slotless TORUS generators with reduced voltage regulation p337
Eddy-current effects in slot-bound conductors p131
Eddy current iron losses in axially laminated brushless motors p183
Estimation of rotor position and speed of a synchronous reluctance motor for servodrives p201
Induction coil guns for hypervelocities p215
LKF based robust control of electrical servodrives p161
Method for analysing the commutation in small universal motors p123
Position control of a brushless DC motor without velocity measurements p113
Position control with fuzzy adaptation for induction servomotor drive p397
Robust speed control of brushless direct-drive motor using integral variable structure control p361
Robust two-degrees-of-freedom control for induction motor servodrive p79
Simple algorithm for closed-loop control of stepping motors p5

INDUCTION MOTORS

Adapting a linear induction motor for the acceleration of large masses to high velocities p262
Design and application of extended observers for joint state and parameter estimation in high-performance AC drives p71
Generalised approach to the analysis of asymmetrical three-phase induction motors p87
Impact on the power system of single-phase input cycloconvertor motor drives p176
Induction coil guns for hypervelocities p215
Online estimation of stator resistance of an induction motor for speed control applications p97
Performance of a single-phase to three-phase cycloconvertor drive p169
Position control with fuzzy adaptation for induction servomotor drive p397
Robust two-degrees-of-freedom control for induction motor servodrive p79
'Variable inertia test' for full load temperature rise testing of induction machines p222

INSULATED GATE FIELD EFFECT TRANSISTORS

Analysis and optimisation of a flyback convertor with a nondissipative snubber p35
Losses in PWM inverters using IGBTs p285
SEPIC-derived three-phase sinusoidal rectifier operating in discontinuous current conduction mode p239
Single-phase switch-mode rectifier employing voltage-reversal circuit switched with a fixed frequency p154

INTERFERENCE SUPPRESSION

Nonlinear capacitive snubbers for improved zero-voltage switching with reduced electromagnetic interference and minimum voltage stresses p329

MAGNETIC MATERIALS AND DEVICES

Calculation of winding losses in high frequency toroidal inductors using multistrand conductors p313
Design of slotless TORUS generators with reduced voltage regulation p337
Numerical modelling and simulation of hysteresis effects in magnetic cores using transmission-line modelling and the Preisach theory p57
Relevance of step-lap joints for magnetic characteristics of transformer cores p371
Transformer for multimegahertz power applications p379

MATHEMATICAL TECHNIQUES

Analysis and optimisation of a flyback convertor with a nondissipative snubber p35
Calculation of winding losses in high frequency toroidal inductors using multistrand conductors p313
Direct-phase modelling of isolated brushless exciter-alternator unit including the magnetic nonlinearities p206
Modelling and numerical solution of multibranched DC rail traction power systems p323

MEASUREMENT OF SPECIFIC VARIABLES

Contactless measurement of the secondary position in linear reluctance motors p355

NONELECTRIC VARIABLES CONTROL

LKF based robust control of electrical servodrives p161
Online estimation of stator resistance of an induction motor for speed control applications p97
Position control of a brushless DC motor without velocity measurements p113
Position control with fuzzy adaptation for induction servomotor drive p397
Robust speed control of brushless direct-drive motor using integral variable structure control p361
Robust two-degrees-of-freedom control for induction motor servodrive p79
Simple algorithm for closed-loop control of stepping motors p5

NONLINEAR CONTROL SYSTEMS

Position control of a brushless DC motor without velocity measurements p113

NUMERICAL ANALYSIS

Method for analysing the commutation in small universal motors p123
Modelling and numerical solution of multibranched DC rail traction power systems p323
Performance prediction of third-order series resonant convertor p29
Time-stepping finite element analysis for a synchronous generator feeding a rectifier load p50
Transformer for multimegahertz power applications p379
Unified AC/DC power flow for system simulation in DC electrified transit railways p345

OPTIMISATION

Calculation of winding losses in high frequency toroidal inductors using multistrand conductors p313

PARAMETER ESTIMATION

Design and application of extended observers for joint state and parameter estimation in high-performance AC drives p71
Estimation of rotor position and speed of a synchronous reluctance motor for servodrives p201
Online estimation of stator resistance of an induction motor for speed control applications p97

POWER ELECTRONICS

Analysis and optimisation of a flyback convertor with a nondissipative snubber p35
Analysis of conduction losses in inverters p225
Calculation of winding losses in high frequency toroidal inductors using multistrand conductors p313
Computer application in the analysis of rectifiers and inverters p233
Design and analysis of H-soft-switched converters p255
Direct method for voltage distortion compensation in power networks by series converter filter p308
Fixed-frequency buck-boost zero-voltage-switched quasiresonant converter p289
Losses in PWM inverters using IGBTs p285
Minimisation of circuit complexity of step-up/down three-phase AC to DC converter with sinusoidal input current and unity power factor p63
Nonlinear capacitive snubbers for improved zero-voltage switching with reduced electromagnetic interference and minimum voltage stresses p329
Online estimation of stator resistance of an induction motor for speed control applications p97
Performance prediction of third-order series resonant convertor p29
SEPIC-derived three-phase sinusoidal rectifier operating in discontinuous current conduction mode p239
Single-phase switch-mode rectifier employing voltage-reversal circuit switched with a fixed frequency p154
Soft-switching single-phase–three-phase converters with near unity power factor p23
Switched sliding-mode control for ZCS series-resonant AC/DC converter p297
Three-phase four wire voltage controlled AC line conditioner with unity input power factor and minimised output voltage harmonics p43

POWER ENGINEERING COMPUTING

Computer application in the analysis of rectifiers and inverters p233
Design of a semiconductor thermoelectric generator for remote subsea wellheads p65
Direct-phase modelling of isolated brushless exciter-alternator unit including the magnetic nonlinearities p206
Estimation of rotor position and speed of a synchronous reluctance motor for servodrives p201
Modelling and stability analysis of a permanent-magnet synchronous machine taking into account the effect of cage bars p137
Performance of a single-phase to three-phase cycloconvertor drive p169
Robust speed control of brushless direct-drive motor using integral variable structure control p361
Robust two-degrees-of-freedom control for induction motor servodrive p79
Transient analysis of three phase reluctance motors fed from a single phase supply p104
Unified AC/DC power flow for system simulation in DC electrified transit railways p345

POWER SYSTEM CONTROL

Direct method for voltage distortion compensation in power networks by series converter filter p308
LKF based robust control of electrical servodrives p161
Online estimation of stator resistance of an induction motor for speed control applications p97
Performance of a single-phase to three-phase cycloconvertor drive p169
Position control of a brushless DC motor without velocity measurements p113
Position control with fuzzy adaptation for induction servomotor drive p397
PWM control method for a four-level inverter p390
Robust speed control of brushless direct-drive motor using integral variable structure control p361
Robust two-degrees-of-freedom control for induction motor servodrive p79
Simple algorithm for closed-loop control of stepping motors p5
Simplified control strategy to improve AC-input-current waveform of parallel-connected current-type PWM rectifiers p246
Switched sliding-mode control for ZCS series-resonant AC/DC converter p297
Three-phase four wire voltage controlled AC line conditioner with unity input power factor and minimised output voltage harmonics p43
Three-phase multifunctional battery energy storage system p275
Transformerless four-wire PWM rectifier and its application in AC-DC-AC converters p410

POWER SYSTEM MANAGEMENT

Direct method for voltage distortion compensation in power networks by series converter filter p308
Three-phase multifunctional battery energy storage system p275

POWER SYSTEMS AND APPLICATIONS

Analysis and simulation of the high-speed torque performance of brushless DC motor drives p191
Design and application of extended observers for joint state and parameter estimation in high-performance AC drives p71
Design of a semiconductor thermoelectric generator for remote subsea wellheads p65
Development of a model for representing dynamic behaviour of synchronous motor variable speed drives p269
Estimation of rotor position and speed of a synchronous reluctance motor for servodrives p201
Impact on the power system of single-phase input cycloconvertor motor drives p176
LKF based robust control of electrical servodrives p161
Modelling and numerical solution of multibranched DC rail traction power systems p323
Performance of a single-phase to three-phase cycloconvertor drive p169
Position control with fuzzy adaptation for induction servomotor drive p397
PWM technique utilisation in the quasiresonant convertor p145
Robust speed control of brushless direct-drive motor using integral variable structure control p361
Robust two-degrees-of-freedom control for induction motor servodrive p79
Unified AC/DC power flow for system simulation in DC electrified transit railways p345

POWER SYSTEMS AND PLANTS

Active reactive-power controller p405
Analysis and simulation of the high-speed torque performance of brushless DC motor drives p191
Design and application of extended observers for joint state and parameter estimation in high-performance AC drives p71
Development of a model for representing dynamic behaviour of synchronous motor variable speed drives p269
Estimation of rotor position and speed of a synchronous reluctance motor for servodrives p201
Impact on the power system of single-phase input cycloconvertor motor drives p176
LKF based robust control of electrical servodrives p161
Modelling and numerical solution of multibranched DC rail traction power systems p323
Performance of a single-phase to three-phase cycloconvertor drive p169
Position control with fuzzy adaptation for induction servomotor drive p397
PWM technique utilisation in the quasiresonant convertor p145
Robust speed control of brushless direct-drive motor using integral variable structure control p361
Robust two-degrees-of-freedom control for induction motor servodrive p79
Three-phase multifunctional battery energy storage system p275
Unified AC/DC power flow for system simulation in DC electrified transit railways p345

POWER TRANSMISSION AND DISTRIBUTION

Modelling and numerical solution of multibranched DC rail traction power systems p323
Unified AC/DC power flow for system simulation in DC electrified transit railways p345

PROBABILITY AND STATISTICS

Analysis of conduction losses in inverters p225

SELF-ADJUSTING SYSTEMS

Position control with fuzzy adaptation for induction servomotor drive p397

SEMICONDUCTOR DEVICE MODELLING

Analysis and optimisation of a flyback convertor with a nondissipative snubber p35

SEMICONDUCTOR DEVICES AND MATERIALS

Analysis and optimisation of a flyback convertor with a nondissipative snubber p35
Losses in PWM inverters using IGBTs p285
SEPIC-derived three-phase sinusoidal rectifier operating in discontinuous current conduction mode p239
Single-phase switch-mode rectifier employing voltage-reversal circuit switched with a fixed frequency p154

SIMULATION, MODELLING AND IDENTIFICATION

Estimation of rotor position and speed of a synchronous reluctance motor for servodrives p201
Online estimation of stator resistance of an induction motor for speed control applications p97
Position control of a brushless DC motor without velocity measurements p113
Robust speed control of brushless direct-drive motor using integral variable structure control p361

STABILITY

Modelling and stability analysis of a permanent-magnet synchronous machine taking into account the effect of cage bars p137
Position control of a brushless DC motor without velocity measurements p113

SYNCHRONOUS MACHINES

Analytical modelling of variable-reluctance machine magnetisation characteristics p14
Contactless measurement of the secondary position in linear reluctance motors p355
Development of a model for representing dynamic behaviour of synchronous motor variable speed drives p269
Direct-phase modelling of isolated brushless exciter-alternator unit including the magnetic nonlinearities p206
Estimation of rotor position and speed of a synchronous reluctance motor for servodrives p201
Modelling and stability analysis of a permanent-magnet synchronous machine taking into account the effect of cage bars p137
Scaling of switched reluctance motors p1
Time-stepping finite element analysis for a synchronous generator feeding a rectifier load p50
Transient analysis of three phase reluctance motors fed from a single phase supply p104

SYSTEMS THEORY

Position control of a brushless DC motor without velocity measurements p113
Robust speed control of brushless direct-drive motor using integral variable structure control p361
Switched sliding-mode control for ZCS series-resonant AC/DC converter p297

TRANSFORMERS

Calculation of winding losses in high frequency toroidal inductors using multistrand conductors p313
Design of slotless TORUS generators with reduced voltage regulation p337
Minimisation of circuit complexity of step-up/down three-phase AC to DC converter with sinusoidal input current and unity power factor p63
Numerical modelling and simulation of hysteresis effects in magnetic cores using transmission-line modelling and the Preisach theory p57
Performance prediction of third-order series resonant convertor p29
Relevance of step-lap joints for magnetic characteristics of transformer cores p371
SEPIC-derived three-phase sinusoidal rectifier operating in discontinuous current conduction mode p239
Transformer for multimegahertz power applications p379

TRANSMISSION LINE THEORY

Numerical modelling and simulation of hysteresis effects in magnetic cores using transmission-line modelling and the Preisach theory p57